




* MOBILE AND PORTABLE * LIVESTOCK SCALES




Cattle blind so the operator doesn't upset livestock while operating the scale during the weight transaction

Durable steel cattle pens with UV-protected, baked-on tan powder paint







★ High under-frame clearance (helpful in maneuvering through bumpy field terrain).

★ Load cells easily accessible via side access panel.

★ High-quality composite flooring for livestock stability and hoof-gripping assurance.



12-volt battery pack

weighing center (indicator and printer) is mounted to the exterior of the livestock pen

Weatherproof mobile

Extra storage shelf in indicator/printer cabinet for spare ticket rolls or EDI reader wand

Battery box and weight indicator cabinet feature toolbox latches to properly secure the lids and doors




SELF-CONTAINED DESIGN

Cardinal Scale's mobile and portable Weight Wrangler group animal scales provide a selfcontained NTEP legal-for-trade weighing system that can be used on any firm surface with up to a 5% grade. The livestock scales include an integral air pump to easily lift and lower the trailer's air bag suspension. The rubberized component deck and steel cattle pen enclosure with dual gates are all suspended at four points within a mobile base frame.







CARDINAL SCALE'S MOBILE WEIGHING

- ★ Calculates Shrink Loss for Livestock Group
- ★ Displays Current Head Count, Gross Weight, and Average Weight
- ★ Also Displays Previous and Total Head Count, Gross Weight, and Average Weight
- Displays Transaction Number and Transaction Shrinkage
- Printable Report Summarizing Above Information per Transaction
- Inclinometer Detects Scale Angle to Determine if Angle is Out of Acceptable Tolerance for Weighing
- ★ Weight Indicator Displays Current Tilt Angle (blanks out if out of NTEP tolerance)
- Comes With USB Port to Store Transactions on Portable USB Drive
- Transactions Stored on USB Drive May Be Summarized for Printing

USER FRIENDLY OPERATION

Lowering the scale into weighing mode after transport is easy and can be quickly done by one person. For the mobile models, pull the safety locking pins for transport mode, pull the pin on the tongue to split apart the two arms on the front of the scale, turn the air purge valve to release the air from the airbags and lower the scale, and then rotate the weighbridge lifting handle inward at each corner.

CAL [naņs,#: Shrink: 2.50%


Last : 2 Current: Gross: 400 Avg : 200 600 Gross Avg

Total:6 Gross: 1250 Avg : 208

WEIGH SHRINK FINISH

REPRINT

Livestock weighing transaction results are all displayed on the easy-to-read, transflective LCD screen that remains highly visible, even in direct sunlight.



Cardinal Scale's weight indicators feature StableSENSE® digital filtering that filters the weight signal to produce a stable weight display in spite of motion on the scale platform due to animal movement.

The Weight Wrangler's mobile weighing center includes an inclinometer that eliminates the need to recalibrate the scale after transport. The self-contained scale provides legal-for-trade weights in multiple locations with up to a 5% tilt angle (maximum allowed by NTEP) in any direction.





LIVESTOCK





Cardinal Scale's Weight Wrangler scales come in four types (listed below) and meet the demands of multi-site livestock weighing.



MOBILE


CAPACITY


LSM1513-MWC225P

LSM2018-MWC225P

20,000 lb x 5 lb


18' 5" L x 7' 4" W x 8' 2" H (not including tongue)






PORTABLE

LSP1513-MWC225P



LSP2018-MWC225P





Each Weight Wrangler model listed here includes weight indicator and ticket printer

OPTIONAL:

Collector Panel Mount Bow (qty. 1) Horse Risers **Dual Latch Gate Towing Light Kit**

Cardinal Scale reserves the right to improve, enhance or modify features and specifications without prior notice. All registered trademarks are the property of their respective owners

Cardinal Cardinal Scale Manufacturing Co.

Tandem Axle

203 E. Daugherty, Webb City, MO 64870 USA Ph: 417-673-4631 or 800-441-4237 • Fax: 417-673-2153 www.CardinalScale.com

Mobile: m.cardinalscale.com

SOLD BY: